

Client



Source



Resilient ()  
031020/Lot Size 4,648

Sample

Resilient ()  
Batch #:..... 031020/Lot Size 4,648  
Type:..... Fragrance  
CAS Number:.....

My Daily Choice

Client



Website





Primary

**53.47%** | Glycerol tricaprylate  
**7.52%** | 34.99 Methyl  
**6.75%** | UK Compound

Other

84.47%



Percentage Identified

Result



Conclusion

No adulterants, diluents, or contaminants were detected via this method. This oil meets the expected profile for genuine Fragrance of Resilient ()

Internal Number: | EVS-4002



Essential Validation Services

747 SW 2nd Ave IMB 12 Suite 306  
Gainesville, FL 32601

317.361.5044 |  
<https://essentialvalidation.com/>

*Alan Christen*

Monoterpenes	2.82%
Sesquiterpenes	0.00%
Monoterpenols	0.00%
Sesquiterpenols	2.73%
Ketones	0.00%
Esters	0.04%
Ethers	0.00%
Aldehydes	0.13%
Phenols	0.00%
Other	84.47%

Client



Source



Resilient ()

031020/Lot Size 4,648

Total Percentage		69.03%		
Number	RT	Area %	Compound Name	Chemical Family
1	5.74	0.03%	cis-Hex-3-en-1-ol	Aliphatic Alcohol
2	8.28	0.05%	alpha-Pinene	Monoterpene
3	9.85	0.05%	Sabinene	Monoterpene
4	10.01	0.35%	beta-Pinene	Monoterpene
5	10.59	0.06%	Myrcene	Monoterpene
6	11.93	0.86%	UK Compound	
7	11.99	1.00%	UK Compound	
8	12.25	2.09%	Limonene	Monoterpene
9	12.73	1.50%	UK Compound	
10	12.97	1.16%	UK Compound	
11	13.57	0.22%	gamma-Terpinene	Monoterpene
12	19.27	0.32%	14.26 Thujanol<3->	0.00
13	19.87	0.57%	15.45 Dihydro carveol	0.00
14	20.03	0.01%	Ethyl octanoate	Monoterpene Ester
15	21.82	0.05%	Neral	Monoterpene Aldehyde
16	23.17	0.08%	Geranial	Monoterpene Aldehyde
17	28.04	0.03%	Geranyl acetate	Monoterpene Ester
18	28.39	0.02%	24.28 Damascone<(E)-alpha->	0.00
19	35.70	0.02%	31.65 Undecalactone<gamma->	0.00
20	37.03	2.73%	Cedrol	Sesquiterpenol
21	38.73	6.75%	UK Compound	
22	38.99	7.52%	34.99 Methyl dihydrojasmonate<cis->	0.00
23	39.23	1.49%	UK Compound	
24	39.73	0.80%	36.05 Methyl dihydrojasmonate<trans->	0.00
25	40.13	1.33%	UK Compound	
26	42.56	0.54%	38.81 Ambroxide	0.00
27	44.06	0.27%	UK Compound	
28	44.17	0.27%	UK Compound	
29	45.39	5.55%	UK Compound	
30	59.02	0.60%	Fatty Acid Oil Compounds	
31	59.21	1.44%	Fatty Acid Oil Compounds	
32	60.41	0.02%	Diisooctyl phthalate	Phthalate
33	60.51	0.89%	Fatty Acid Oil Compounds	
34	60.64	1.97%	Fatty Acid Oil Compounds	
35	61.55	0.18%	Fatty Acid Oil Compounds	

ESSENTIAL VALIDATION SERVICES | 747 SW 2<sup>ND</sup> AVE GAINESVILLE, FLORIDA 32601 | 317-361-5044

Client **mydaily choice** Source 

Resilient ()  
031020/Lot Size 4,648

Number	RT	Area %	Compound Name	Chemical Family
36	61.593	0.15%	Fatty Acid Oil Compounds	
37	61.68	0.52%	Fatty Acid Oil Compounds	
38	62.65	53.47%	Glycerol tricaprylate	Coconut Oil
39	63.04	0.25%	Fatty Acid Oil Compounds	
40	63.22	0.76%	Fatty Acid Oil Compounds	

ESSENTIAL VALIDATION SERVICES | 747 SW 2ND AVE GAINESVILLE, FLORIDA 32601 | 317-361-5044



Resilient ()  
031020/Lot Size 4,648

A large table area consisting of multiple horizontal rows, each filled with a light green color, indicating a blank or redacted data table.



EVS-4002-My Daily Choice-Fragrance

Resilient ()  
031020/Lot Size 4,648

<b><u>Pesticides</u></b>	<b><u>Residual Solvents</u></b>	<b><u>Microbial</u></b>	<b><u>Heavy Metals</u></b>
<b>APPROVED</b>	<b>APPROVED</b>	<b>APPROVED</b>	<b>APPROVED</b>



**Essential Validation Services**

747 SW 2nd Ave IMB 12 Suite 306  
Gainesville, FL 32601

317.361.5044 |  
<https://essentialvalidationservices.com/>

*Alan Christian*

**Microbial**

Aspergillus terreus	ND CFU/g
Aspergillus niger	ND CFU/g
Aspergillus Fumigatus	ND CFU/g
Aspergillus Flavus	ND CFU/g
Salmonella	ND CFU/g
E.coli	ND CFU/g

**Residual Solvents**

	Result	Action Level		Result	Action Level
Acetone	ND	750 Pass	Ethanol	ND	500 Pass
Acetonitrile	ND	60 Pass	N-Pentane	ND	750 Pass
Benzene	ND	1 Pass	Propane	ND	210 Pass
Iso-Butane	ND	200 Pass	Heptane	ND	500 Pass
N-Butane	ND	200 Pass	Toluene	ND	150 Pass
Chloroform	ND	2 Pass	Total Xylenes	ND	150 Pass
N-Hexane	ND	60 Pass	2-Propanol	ND	500 Pass
Iso-Pentane	ND				
2,2-Dimethylbutane	ND	60 Pass			
2,3-Dimethylbutane	ND	60 Pass			
Tetrahydrofuran	ND				

**Heavy Metals**

<b>82</b> <b>Pb</b> Lead 207.2 Result: ND Action Level: 0.5 (PPM)	<b>APPROVED</b>	<b>48</b> <b>Cd</b> Cadmium 112.414 Result: ND Action Level: 0.2 (PPM)	<b>APPROVED</b>
<b>80</b> <b>Hg</b> Mercury 200.592 Result: ND Action Level: 0.2 (PPM)	<b>APPROVED</b>	<b>33</b> <b>As</b> Arsenic 74.922 Result: ND Action Level: 0.2 (PPM)	<b>APPROVED</b>

ESSENTIAL VALIDATION SERVICES | 747 SW 2<sup>ND</sup> AVE GAINESVILLE, FLORIDA 32601 | 317-361-5044

Client

mydaily  
choice

Source



Resilient ()

EVS-4002-My Daily Choice-Fragrance

031020/Lot Size 4,648

## Pesticides

	<u>Result</u>	<u>Action Level</u>		<u>Result</u>	<u>Action Level</u>
Dimethoate	ND	0.1 ppm	Pass	Cypermethrin	ND 0.5 ppm Pass
Abamectin b1a	ND	0.1 ppm	Pass	Daminozide	ND 0.1 ppm Pass
Cis-permethrin	ND	0.1 ppm	Pass	Metalaxyl	ND 0.02 ppm Pass
Acephate	ND	0.1 ppm	Pass	Dichlorvos	ND 0.1 ppm Pass
Dimethomorph	ND	0.2 ppm	Pass	Methiocarb	ND 0.05 ppm Pass
Ethoprophos	ND	0.1 ppm	Pass	Methomyl	ND 0.1 ppm Pass
Acequinocyl	ND	0.1 ppm	Pass	Diazanone	ND 0.1 ppm Pass
Acetamiprid	ND	0.1 ppm	Pass	Mevinphos	ND 0.1 ppm Pass
Etofenprox	ND	0.1 ppm	Pass	Myclobutanil	ND 0.1 ppm Pass
Aldicarb	ND	0.1 ppm	Pass	Naled	ND 0.25 ppm Pass
Etoxazole	ND	0.1 ppm	Pass	Oxamyl	ND 0.5 ppm Pass
Azoxystrobin	ND	0.01 ppm	Pass	Paclobutrazol	ND 0.1 ppm Pass
Fenhexamid	ND	0.1 ppm	Pass	Trans-permethrin	ND 0.1 ppm Pass
Bifenazate	ND	0.1 ppm	Pass	Phosmet	ND 0.1 ppm Pass
Fenoxycarb	ND	0.1 ppm	Pass	Piperonyl butoxide	ND 3 ppm Pass
Fenpyroximate	ND	0.1 ppm	Pass	Prallethrin	ND 0.1 ppm Pass
Bifenthrin	ND	0.1 ppm	Pass	Propiconazole	ND 0.1 ppm Pass
Carbaryl	ND	0.5 ppm	Pass	Propoxur	ND 0.1 ppm Pass
Fipronil	ND	0.1 ppm	Pass	Pyrethrin i	ND 0.5 ppm Pass
Flonicamid	ND	0.1 ppm	Pass	Pyridaben	ND 0.2 ppm Pass
Carbofuran	ND	0.1 ppm	Pass	Spino (Spinosyn a)	ND 0.1 ppm Pass
Chlorantraniliprole	ND	1 ppm	Pass	Spino (Spinosyn d)	ND 0.1 ppm Pass
Fludioxonil	ND	0.1 ppm	Pass	Spiromesifen	ND 0.1 ppm Pass
Hexythiazox	ND	0.1 ppm	Pass	Spirotetramat	ND 0.1 ppm Pass
Chlorfenapyr	ND	0.1 ppm	Pass	Spiroxamine	ND 0.1 ppm Pass
Imazalil	ND	0.1 ppm	Pass	Tebuconazole	ND 0.1 ppm Pass
Chlorpyrifos	ND	0.1 ppm	Pass	Thiacloprid	ND 0.1 ppm Pass
Imidacloprid	ND	0.4 ppm	Pass	Thiamethoxam	ND 0.5 ppm Pass
Clofentezine	ND	0.2 ppm	Pass	Trifloxystrobin	ND 0.1 ppm Pass
Kresoxim-methyl	ND	0.1 ppm	Pass		
Coumaphos	ND	0.1 ppm	Pass		
Malathion	ND	0.2 ppm	Pass		